




Product data sheet

35320/4GR - Double level tension spring terminal DIN35 4mm² gray



Gray double level tension spring terminal DIN35 4mm² with 2x2 connections Marking possibility on the side and in the middle with stripes, for cross connection. recessed

Characteristics	
Eldas number	158402237
Base Unit	Piece
availability	available from stock
EAN Code	7611718221439
group	165000
Packaging unit	25
country of origin	CH
Customs tariff number	8536.9080
Weight (g)	22 g
Color	gray
Technical data	
Dimensions length x width x height (mm)	88x6x67 mm
Dimensions length x width x height (inch)	3.47x0.24x2.64 inch
Cross section (mm ²)	0,5 - 4 mm ²
Nominal current (A)	16 A



Product data sheet

35320/4GR - Double level tension spring terminal DIN35 4mm² gray

Rated voltage (V)	300 V
Connection type	Spring clamp
DIN rail type	DIN-35
Number of connection point	4
Number of floor	2
Number of potentials	2
Insulating material	PA66
Nominal Cross-section (mm ²)	4 mm ²
Stripping length mm (mm)	12 mm

Rating data according to UL 1059

Rated voltage US (V)	300 V
Nominal cross section (AWG)	12 AWG
Cross-section (AWG)	12 - 20 AWG
Stripping length (inch)	0,47 inch



Product data sheet

35320/4GR - Double level tension spring terminal DIN35 4mm² gray

Product accessories




80247 - Test plug Ø 2.3mm red, socket 4mm

connecting cable incl.




80248 - Test plug Ø 2.3mm black, socket 4mm

connecting cable incl.



Bezeichnungskarte_6x12mm - Designation cards 6x12mm

Various designation labels 6x12mm with different embossing.



Bezeichnungskarte_6x9mm - Designation card 6x9mm

Various designation plates with different embossing.



35455/09BS - Marking strip 9x240mm

with 25strips per box



35455/69T - Marking adaptor for label 6x9mm

to spring clamp terminals




35321/3 - Partition and end barrier 107x47mm

grey, to 2-step spring clamp terminals




35445 - End retainer for Spring clamp terminal DIN35

of polyamide 66, grey dimensions: 8x45.2x23.5mm to spring clamp terminals 1.5 to 16mm 2



35425/06 - Cross-junction rack 10pole black

Cross-connection rake insulated, black, to tension spring terminals 6mm



35425/06BR - Bridge to cross-junction rack black

Bridge insulated, suitable for 3542506 and 3542508 to connect 2 connecting rakes.
33.2x6x10.4 mm



35435/415 - Cable entrance to 1.5mm² conductors


funnel-shaped, to spring clamp terminals 4mm 2Stripes of 10 pieces, separable



Product data sheet

35320/4GR - Double level tension spring terminal DIN35 4mm² gray

Product systems



Double level tension spring terminals DIN 35

Various double-deck tension spring clamps.

