




Product data sheet

52030 - Installation kit 2x3FLF horizontal SB BAK22



hook-in, to BAK with protective edge 12mm and 22mm
made of galvanized sheet steel 1.5mm
including 2 mounting plates
color: RAL 7032 pebble gray
equipped, wired and tested: 1 pc. Terminal block 7x2.5mm ²
3 pcs. socket FLF 3/5 T13 white 55200
minimum floor height: BAK12=74mm; BAK22=84mm

Characteristics	
Eldas number	154965027
Base Unit	Piece
availability	Delivery according to agreement
EAN Code	7611718251443
group	282000
Packaging unit	1
country of origin	CH
Customs tariff number	7308.9000



Product data sheet

52030 - Installation kit 2x3FLF horizontal SB BAK22









Product accessories



Product data sheet

52030 - Installation kit 2x3FLF horizontal SB BAK22

Product systems

	<p>DAK5 278x278 Cr KA</p> <p>Raised floor system DAK5 278x278 square with installation kit and protective housing</p>	
	<p>Floor junction box BAK22 200x40</p> <p>Underfloor system with square plenum box and chrome steel and aluminum junction boxes, edge height 22mm for UFK 200x40 underfloor duct.</p>	
	<p>Floor junction box BAK22 200x50</p> <p>Underfloor system with square plenum box and chrome steel and aluminum junction boxes, edge height 22mm for UFK 200x50 underfloor duct.</p>	
	<p>Floor junction box BAK22 300x40</p> <p>Underfloor system with square plenum box and chrome steel and aluminum junction boxes, edge height 22mm for UFK 300x40 underfloor duct.</p>	



Product data sheet

52030 - Installation kit 2x3FLF horizontal SB BAK22



Floor junction box BAK22 to slab formwork




Plenum box BAK22 for fastening to the slab formwork.

The installation of underfloor ducts requires a minimum height of the concrete overlay (60 mm). If this height is not available, special boxes can be obtained for concreting into the raw slab. After fastening to the formwork, they are connected to each other with underfloor trunking 200 x 40, covered with the temporary protective cover and cast in the concrete up to the top edge.

The installation kit is mounted on the levelable box insert; the opening between the box bottom and the installation plate allows the cable to pass through to the next box. After finished wiring, an aluminum cover with cable trough is attached.

Connection box consisting of:


- Enclosure with adjustable feet, with four side openings 202 x 42 mm and a bottom entry tube M50 with temporary one-way steel cover incl. 4 screws
- Enclosure insert made of aluminum, with frame 278 x 278
- Al cover with edge 22 mm
- 2 cable trays made of polycarbonate crystal clear with transparent filler piece



Floor junction box BAK12 200x30




Underfloor system with square plenum box and chrome steel/aluminum junction boxes, edge height 12mm for UFK 200x30 underfloor duct.



Floor junction box BAK12 200x40



Underfloor system with square plenum box and chrome steel/aluminum junction boxes, edge height 12mm for UFK 200x40 underfloor duct.



Floor junction box BAK12 200x50




Underfloor system with square plenum box and chrome steel/aluminum junction boxes, edge height 12mm for UFK 200x50 underfloor duct.




Product data sheet

52030 - Installation kit 2x3FLF horizontal SB BAK22




Floor junction box BAK12 300x30

Underfloor system with square plenum box and chrome steel/aluminum junction boxes, edge height 12mm for UFK 300x30 underfloor duct.




Floor junction box BAK12 300x40

Underfloor system with square plenum box and chrome steel/aluminum junction boxes, edge height 12mm for UFK 300x40 underfloor duct.




Floor junction box BAK12 300x50

Underfloor system with square plenum box and chrome steel/aluminum junction boxes, edge height 12mm for UFK 300x50 underfloor duct.




Floor junction box BAK22 300x50

Underfloor system with square plenum box and chrome steel and aluminum junction boxes, edge height 22mm for UFK 300x50 underfloor duct.




DAK22 levelable 271x271 square

Raised floor system DAK22 271x271 square, with levelable covering height




DAK22 271x271 square

Raised floor system DAK22 271x271 square.



Floor junction box BAK12 400x30

Underfloor system with square plenum box and chrome steel/aluminum junction boxes, edge height 12mm for UFK 400x30 underfloor duct.



Floor junction box BAK12 400x50

Underfloor system with square plenum box and chrome steel/aluminum junction boxes, edge height 12mm for UFK 400x50 underfloor duct.

