





System overview

Floor channel BOK 8880 300x60mm on leveling device




Floor channel BOK 8880 300x60mm on leveling device.

Components




52360 - Floor duct BOK 8880/300x60 SK

made of sendzimir-galvanized steel sheet 1.5mm pressed into special aluminum profile Woertz on both sides with temporary protective edge inserted into groove and impact sound trapezoidal rubber as cover support including fastening straps and connecting material height 60mm / nominal cover width 300mm length: 2000mm




52361 - Angle connection BOK 8880/300x60 SK

made of sendzimir-galvanized sheet steel 1.5mm pressed into special aluminum profile Woertz on both sides with temporary protective edge inserted into groove and impact sound trapezoidal rubber as cover support including fastening straps and connecting material height 60mm / nominal cover width 300mm



52362 - T-joint BOK 8880/300x60 SK

made of sendzimir-galvanized sheet steel 1.5mm pressed into special aluminum profile Woertz on both sides with temporary protective edge inserted into groove and impact sound trapezoidal rubber as cover support including fastening straps and connecting material height 60mm / nominal cover width 300mm length: 1000mm



52363 - Cross connection BOK 8880/300x60 SK

made of sendzimir-galvanized sheet steel 1.5mm pressed into special aluminum profile Woertz on both sides with temporary protective edge inserted into groove and impact sound trapezoidal rubber as cover support including fastening straps and connecting material height 60mm / nominal cover width 300mm length: 1000mm



52407 - Connecting link straight BOK 8880



















made of sheet steel dimension: 130x10x2.5mm with 4 pieces hexagonal screws M4x8
for connecting the channel shells





System overview





















Floor channel BOK 8880 300x60mm on leveling device

	<p>52408 - Angle connecting link 90° BOK 8880</p> <p>made of sheet steel dimension: 67.5/67.5x10x2.5mm with 4 pcs hexagonal bolts M4x8 for connecting the channel shells</p>	
	<p>52415 - U-clamp profile reinforced 1-3mm</p> <p>as edge protection profile for sheet thickness up to 3mm</p>	
	<p>52300 - Leveling bar straight BOK 8880/300</p> <p>made of steel dimension: 430x50x5mm</p>	
	<p>52503 - Leveling plate BOK 8880/300</p> <p>made of sendzimir galvanized sheet steel dimension: 430x430x4mm to angle- cross- and T-connection</p>	
	<p>52402 - Mounting bracket 60 BOK 8880/60</p> <p>made of sheet steel 2.5mm for floor trunking BOK 8880 height 60mm</p>	
	<p>52515 - Leveling foot M10 cpl H=53mm BOK 8880</p> <p>for finished floor heights: Channel height 50mm, 70-90mm Channel height 60mm, 80-100mm Channel height 80mm, 100-140mm</p>	
	<p>52516 - Leveling foot M10 cpl H=103mm BOK 8880</p> <p>for finished floor heights: Channel height 50mm, 80-140mm Channel height 60mm, 90-150mm Channel height 80mm, 110-170mm</p>	
	<p>52517 - Leveling foot M10 cpl H=153mm BOK 8880</p> <p>for finished floor heights: Channel height 50mm, 80-190mm Channel height 60mm, 90-200mm Channel height 80mm, 110-220mm</p>	
	<p>52518 - Leveling foot M10 cpl H=203mm BOK 8880</p> <p>for finished floor heights: Channel height 50mm, 180-240mm Channel height 60mm, 190-250mm Channel height 80mm, 210-270mm</p>	



System overview

Floor channel BOK 8880 300x60mm on leveling device

	<p>52519 - Leveling foot M10 cpl H=253mm BOK 8880</p> <p>for finished floor heights: Channel height 50mm, 230-290mm Channel height 60mm, 240-300mm Channel height 80mm, 260-320mm</p>	
	<p>52364 - End wall BOK 8880/300x60 SK</p> <p>made of sendzimir-galvanized steel sheet 1.5mm pressed into special aluminum profile Woertz with temporary protective edge inserted into groove and impact sound trapezoidal rubber as cover support including connecting material height 60mm / nominal cover width 300mm</p>	
	<p>52364/0 - End wall BOK 8880/300x60 SK 0</p> <p>made of sendzimir-galvanized steel sheet 1.5mm including connecting material height 60mm / lid nominal width 306mm</p>	
	<p>52377 - Temporary wooden cover BOK 8880/300</p> <p>for insertion as a placeholder and protection for the floor channel Dimension: 1000x301x12mm</p>	
	<p>52365 - St lid BOK 8880/300 SK</p> <p>made of sendzimir galvanized steel sheet 4mm dimension: 1000x300mm</p>	
	<p>52369 - St lid BOK 8880/300 SK</p> <p>made of sendzimir galvanized steel sheet 4mm dimension: 500x300mm</p>	
	<p>52366 - St lid BOK 8880/300 SK KD</p> <p>made of sendzimir-galvanized steel sheet 4mm dimension: 500x300mm cable gland loosely enclosed</p>	
	<p>52367 - St lid BOK 8880/300 SK BL</p> <p>made of sendzimir-galvanized steel sheet 4mm dimension: 500x300mm with brush strips as cable outlet, for 3mm finished floor height</p>	
	<p>52368 - St lid BOK 8880/300 SK KMn</p> <p>made of sendzimir-galvanized steel sheet 4mm dimension: 500x300mm cable tray enclosed loose</p>	
	<p>52365/0 - St lid BOK 8880/300 SK 0</p> <p>made of sendzimir galvanized steel sheet 4mm dimension: 1000x306mm</p>	



System overview























Floor channel BOK 8880 300x60mm on leveling device

	52369/0 - St lid BOK 8880/300 SK 0 made of sendzimir galvanized steel sheet 4mm dimension 500x306mm	
	52366/0 - St lid BOK 8880/300 SK 0 KD made of sendzimir galvanized steel sheet 4mm dimension: 500x306mm with cable gland	
	52367/0 - St lid BOK 8880/300 SK 0 BL made of sendzimir-galvanized steel sheet 4mm dimension: 500x306mm with brush strips as cable outlet, for 3mm finished floor height	
	52367/0SB - St lid visible BOK 8880/300 SK 0 BL made of sendzimir galvanized sheet steel 4mm dimension:500x306mm with brush strip as cable outlet, top flush with lid for visible lid	
	52368/0 - St lid BOK 8880/300 SK 0 KMn made of sendzimir-galvanized steel sheet 4mm dimension: 500x306mm with cable trough enclosed loose	
	52372/3 - 0 for 3mm edge, to BOK 8880/300,Length: 1000mm	
	52372/12 - 0 for 12mm edge, to BOK 8880/300,Length: 1000mm	
	52372/22 - 0 for 22mm edge, to BOK 8880/300,Length: 1000mm	
	52373/3 - 0 for 3mm edge, to BOK 8880/300,Length: 500mm	
	52373/12 - 0 for 12mm edge, to BOK 8880/300,Length: 500mm	
	52373/22 - 0 for 22mm edge, to BOK 8880/300,Length: 500mm	



System overview










Floor channel BOK 8880 300x60mm on leveling device

	52374/3 - 0 of aluminiumdim 500x300edge 3mm cable trough separately enclosed	
	52374/12 - 0 of aluminiumdim 500x300edge 12mm cable trough separately enclosed	
	52374/22 - 0 of aluminiumdim 500x300edge 22mm cable trough separately enclosed	
	52378/0SB - Cr lid visible BOK 8880/300 SK 0 made of chrome steel V2A 4mm, brushed dimension: 990x306mm	
	52379/0SB - Cr lid visible BOK 8880/300 SK 0 made of chrome steel V2A 4mm, brushed Dimensions: 490x306mm With brush strip 54x30mm as a cable outlet top flush for visible cover	
	51880 - Cable bushing with filler piece BOK made of polycarbonate crystal clearwith transparent fillerDimension: 86x60x9.5mm	
	51049 - Adjustable cable trough BOK 8880 fDsb made of polycarbonate crystal clear for cover visible for mounting with threaded bolt	
	51069 - Cable trough levelable BOK SK 0-21mm made of polycarbonate crystal clear for cover visible for mounting with threaded bolt	
	52420 - Brush strip cpl. BOK 8880 s=6 made of plastic, black dimension: 54x35mm bristles length: 25mm	
	52410/3 - Al protective edge 3 BOK 8880 made of aluminumDimension: 2000x18x3mm	
	52410/12 - Al protective edge 12 BOK 8880 made of aluminumDimension: 2000x27x3mm	



System overview

Floor channel BOK 8880 300x60mm on leveling device

	<p>52410/22 - Al protective edge 22 BOK 8880 made of aluminumDimension: 2000x37x3mm</p>	
	<p>52412/3 - Cr protective edge 3 BOK 8880 made of chrome steel V2Adimension: 2000x18x3mm</p>	
	<p>52412/12 - Cr protective edge 12 BOK 8880 made of chrome steel V2Adimension: 2000x27x3mm</p>	
	<p>52412/22 - Cr protective edge 22 BOK 8880 made of chrome steel V2Adimension: 2000x37x3mm</p>	
	<p>52348 - Insert set empty 4-8LM vertical BOK to BOK 8880/ from 60mm height for modules type Legrand Mosaic 45x45 made of galvanized sheet steel color RAL 7032 pebble gray</p>	
	<p>52344 - Insert Sts 3FLF horizontal SB BOK made of galvanized sheet steel 1.5mm with knurled screw for lateral fixing in the trunking shell Dimensions: 302x47(53)x40mm Color: RAL 7032 pebble gray equipped, wired and tested: 1 pcs. blind hole terminal 7x2.5mm² 10127 3 pcs. socket T13 FLF white 55200 1x L1 / 1x L2 / 1x L3 1 pcs. Td cable 5x1.5mm² / 1000mm. 1 pc. FK socket SK ecobus power 5x2.5² Pow 5P 49701P (16A)</p>	
	<p>51996 - Installation kit Scs 2FLF horizontal empty BOK Low current versionmade of galvanized steel sheet 1.5mm with strain relief stampings and knurled screw for lateral fixing in the trunking shell. Color: RAL 7032 pebble gray</p>	
	<p>52345 - Installation kit Scs 3FLF horizontal empty BOK Low current version made of sendzimir galvanized sheet steel 1.5mm with strain relief stampings and knurled screw for lateral fixing in the trunking shell Dimension: 400x95x41.4mm Color: RAL 7032 pebble gray</p>	



System overview

Floor channel BOK 8880 300x60mm on leveling device




55039 - Installation kit socket outlet T13 3FLF horizontal SB BOK

Installation kit socket T13 3FLF horizontal SB BOK made of galvanized sheet steel 1.5mm with knurled screw for lateral fixing in the trunking shell. Dimension: 302x47(53)x40mm Color: RAL 7032 pebble gray Equipped, wired and tested: 1 pcs. blind terminal 7x2.5mm² 10127 3 pcs. socket T13 FLF white 55200 1x L1 / 1x L2 / 1x L3 1 pc. Td-cable 5x1.5mm² / 1000mm 1 pc. FK junction box technofil 49909 (10A)



55041 - Installation kit socket T23 3FLF horizontal SB BOK

Installation kit socket T23 3FLF horizontal SB BOK made of galvanized sheet steel 1.5mm with knurled screw for lateral fixing in the trunking shell. Dimension: 302x47(53)x40mm Color: RAL 7032 pebble gray Equipped, wired and tested: 1 pcs. blind terminal 7x2.5mm² 10127 3 pcs. socket T23 FLF white 55210 1x L1 / 1x L2 / 1x L3 1 pc. Td-cable 5x2.5mm² / 1000mm 1 pc. FK socket SK ecobus power 5x2.5² Pow 5P 49701P (16A)




55031 - Installation kit Sts 3FLF horizontal empty BOK

made of galvanized sheet steel 1.5mm with knurled screw for lateral fixing in the trunking shell. Dimension: 302x47(53)x40mm Color: RAL 7032 pebble gray Equipped: 1 pcs. blind hole clamp 7x2.5mm² 10127



55032 - Installation kit Sts 4FLF horizontal empty BOK

made of galvanized sheet steel 1.5mm with knurled screw for lateral fixing in the trunking shell. Dimension: 376x47(53)x40mm Color: RAL 7032 pebble gray Equipped: 1 pcs. blind hole clamp 8x2.5mm² 10146



55033 - Installation kit Sts 6FLF horizontal empty BOK

made of galvanized sheet steel 1.5mm with knurled screw for lateral fixing in the trunking shell. Dimension: 525x47(53)x40mm Color: RAL 7032 pebble gray Equipped: 1 pcs. blind hole clamp 10x2.5mm² 10128



52091 - Mounting bracket 1 FLF 3/5 empty BOK

made of galvanized sheet steel color: RAL 7032 pebble gray



52421 - Brush strip cpl. BOK 8880 s=4 visible

made of plastic, black dimension: 54x37mm bristles length: 30mm



55019 - Installation kit bticino 2x2-3gang empty BOK

made of galvanized sheet steel color: RAL 7032 pebble gray

