



Product data sheet

49619 - Central supply socket for flat cable Woertz 5G25 mm²/5G16 mm² IP65



Central supply socket for flat cable Woertz 5G25mm²/5G16mm², IP65, Connection cable. One wire, more wire and fine wire max. cross section 35 mm². Stripping length 40 mm. To be used with cable gland M50x1.5, art. 49642 (Ø25-31 mm) or art. 49644 (Ø32-38 mm).

Characteristics	
Base Unit	Piece
availability	Delivery in 4 weeks
EAN Code	7611718279553
group	170000
Packaging unit	1
country of origin	CH
Customs tariff number	8536.9080
Weight (g)	4053 g
Color	gray
Technical data	
Box Type	Feeding sockets
Dimensions length x width x height (mm)	255 x 120.5 x 287.8 mm
Dimensions length x width x height (inch)	10.04 x 4.74 x 11.33 inch
Degree of protection	IP65
Flat cable contacting type	Screw terminal



Product data sheet

49619 - Central supply socket for flat cable Woertz 5G25 mm²/5G16 mm² IP65

Number of poles	5 pole
Contacting type	Screw terminal
Rated voltage heavy current part (V)	250/400 V



Product data sheet

49619 - Central supply socket for flat cable Woertz 5G25 mm²/5G16 mm² IP65

Product accessories



49642/M - Cable gland nut M50x1.5 plastic grey

Nut for cable gland M50x1.5, made of plastic grey



49642 - Cable gland M50x1.5 ø25-31mm IP68 GR

Polyamide cable gland Light gray, halogen-free, M50x1.5, clamping range ø 25-31mm, for junction box no. 49618 (locknut 49642/M sold separately)



49644 - Cable gland M50x1.5 ø32-38mm IP68 SW

Cable gland of black polyamide, halogen-free, M50x1.5, clamping range ø 32-38mm, for junction box no. 49618 (locknut 49642/M sold separately)



Product data sheet

49619 - Central supply socket for flat cable Woertz 5G25 mm²/5G16 mm² IP65

Product systems

Flat cable system Power 5G25 mm² (IP65)



Ideal for construction temporary buildings, offices, tunnels, halls, trade fairs and e-mobility. Robust, weatherproof and powerful - perfect for temporary or permanent power supply.



Flat cable system Power 5G25 mm² (IP65)



Flat cable system Power 5G25 mm² (IP65)



Flat cable system Power 5G16 mm² (IP65)



Robust, weatherproof and powerful - a flexible power supply solution for construction temporary buildings, offices, tunnels, ships, halls, trade fairs and e-mobility.



Flat cable system Power 5G16 mm² (IP65)



Flat cable system Power 5G16 mm² (IP65)

