




Product data sheet

35490/4 - Tension spring fuse terminal 4mm² black



Fuse terminal 4mm² black for fuse 5x20mm for G-type fusible link, insulating body polyamide 6/6 black for cross connection countersunk, with fuse holder

Characteristics	
Eldas number	158603197
Base Unit	Piece
availability	available from stock
EAN Code	7611718215353
group	165000
Packaging unit	25
country of origin	CH
Customs tariff number	8536.9080
Weight (g)	19 g
Color	black
Technical data	
Dimensions length x width x height (mm)	97x8x43 mm
Dimensions length x width x height (inch)	3.82x0.32x1.69 inch
Cross section (mm ²)	0,5 - 4 mm ²
Nominal current (A)	15 A



Product data sheet

35490/4 - Tension spring fuse terminal 4mm² black

Rated voltage (V)	800 V
Connection type	Spring clamp
Smallest connectable section (mm ²)	0,5 mm ²
Number of connection point	2
Number of floor	1
Number of potentials	1
Clamping screw M	M3
Central thread M	3
Insulating material	PA66
Nominal Cross-section (mm ²)	4 mm ²
Stripping length mm (mm)	12 mm

Rating data according to UL 1059

Rated voltage US (V)	600 V
Nominal cross section (AWG)	12 AWG
Cross-section (AWG)	12 - 20 AWG
Smallest connectable section (AWG)	22 AWG
Stripping length (inch)	0,47 inch
Tightening torque (lb-inch)	6,2 lb-inch



Product data sheet

35490/4 - Tension spring fuse terminal 4mm² black

Product accessories



80247 - Test plug Ø 2.3mm red, socket 4mm
connecting cable incl.



80248 - Test plug Ø 2.3mm black, socket 4mm
connecting cable incl.



Bezeichnungskarte_8x12mm - Designation card 8x12mm
Various designation plates with different embossing.



Bezeichnungskarte_8x9mm - Designation card 8x9mm
Various designation plates with different embossing.



35455/09BS - Marking strip 9x240mm
with 25strips per box



35445 - End retainer for Spring clamp terminal DIN35
of polyamide 66, grey dimensions: 8x45.2x23.5mm to spring clamp terminals 1.5 to 16mm 2



35425/08 - Cross-junction rack 10pole black
insulated, to spring clamp terminals 8mm



35425/06BR - Bridge to cross-junction rack black
Bridge insulated, suitable for 3542506 and 3542508 to connect 2 connecting racks.
33.2x6x10.4 mm



35435/415 - Cable entrance to 1.5mm² conductors
funnel-shaped, to spring clamp terminals 4mm 2Stripes of 10 pieces, separable



Product data sheet

35490/4 - Tension spring fuse terminal 4mm² black

Product systems



Tension spring fuse clamps DIN35

Various tension spring fuse clamps.

