


















System overview

Hinged cover channel system KDK 150x115



Hinged cover channel 150x115 mm.



















Components

	<p>58000 - Channel shell ws KDK 150x115</p> <p>made of galvanized sheet steel with DIN-35 rail including connecting material and ground wire Color: RAL 9010 pure white Length: 2000mm</p> 
	<p>58001 - Duct tray FnW KDK 150x115</p> <p>made of galvanized sheet steel with DIN-35 rail including connecting material and ground wire Color: at choice Length: 2000mm</p> 
	<p>52415 - U-clamp profile reinforced 1-3mm</p> <p>as edge protection profile for sheet thickness up to 3mm</p> 
	<p>53610 - Connecting clamp straight with threaded pin</p> <p>for connecting the trunking shells KDK with hinged cover on top</p> 
	<p>53512 - Connector straight for DIN rail</p> <p>for connecting the channel shell for DIN-35 rail</p> 
	<p>53612 - Connecting clamp IG 90° with threaded pin</p> <p>for connecting with internal miter 90° of the trunking shells KDK with hinged cover on top</p> 
	<p>53539 - Connector IG 90° for DIN rail</p> <p>for connecting the channel shell for DIN-35 rail with 90° inside miter</p> 



System overview
















Hinged cover channel system KDK 150x115

	53611 - Connecting clamp AG 90° with threaded pin for connecting with external miter 90° of the trunking shells KDK with hinged cover on top	
	53538 - Connector AG 90° for DIN rail for connecting the channel shell for DIN-35 rail with external miter 90°	
	53614 - Connecting clamp IG 135° with threaded pin for connecting with inside miter 135° of the channel shells KDK with hinged cover on top	
	53541 - Connector IG 135° for DIN rail for connecting the channel shell for DIN-35 rail with inside miter 135°	
	53613 - Connecting clamp AG 135° with threaded pin for connecting with external miter 135° of the trunking shells KDK with hinged cover on top	
	53540 - Connector AG 135° for DIN rail for connecting the channel shell for DIN-35 rail with external miter 135°	
	58002 - Hinged cover ws KDK 150x115 made of galvanized sheet steel with 2 pcs. hinge type C Color: RAL 9010 Pure white Length: 1000mm	
	58003 - Hinged cover FnW KDK 150x115 made of galvanized steel sheet with 2 pcs. hinge type C Color: at choice Length: 1000mm	
	58004 - End wall le ws KDK 150x115 Version left, made of galvanized sheet steel 1.5mm Color: RAL 9010 Pure white	
	58005 - End wall left FnW KDK 150x115 Version left, made of galvanized steel sheet 1.5mm Color: at choice	



System overview

Hinged cover channel system KDK 150x115

	<p>58006 - End wall re ws KDK 150x115</p> <p>Version right, made of galvanized sheet steel 1.5mm Color: RAL 9010 Pure white</p>	
	<p>58007 - End wall r.h. FnW KDK 150x115</p> <p>Version right, made of galvanized sheet steel 1.5mm Color: at choice</p>	
	<p>57191 - Installation kit DS 2FLF 3/5 empty</p> <p>made of sendzimir-galvanized sheet steel 1.5mm to snap onto DIN-35 rail Color: raw</p>	
	<p>57184 - Installation kit DS 1FLF 6/5 2FLF 3/5 empty</p> <p>made of senzimir galvanized steel sheet 1.5mm to snap onto DIN 35 rail Color: raw</p>	
	<p>57190 - Installation kit DS Scs 2x1-2LM empty</p> <p>made of sendzimir-galvanized sheet steel for socket alignment in longitudinal direction snaps onto DIN35 rail for the use of two sockets Legrand Mosaic 45x45 low-current version</p>	
	<p>59514 - Installation kit Scs 3FLF horizontal empty KDK</p> <p>Low-current version for KDK with hinged cover on top made of sendzimir-galvanized sheet steel with 2 clamps for snapping onto DIN-35 rail for installation of FLF 3/5 apparatus color: raw</p>	
	<p>51210 - Cable tray PVC to DIN35 rail</p> <p>Hard PVC 2mm Color: gray Length: 1850mm</p>	
	<p>57113 - Order separator KDK 200x130</p> <p>made of sendzimir-galvanized sheet steel for insertion into trunking tray 1/3 , 2/3 division</p>	