woertz (Q)

System overview

Floor junction box BAK4 200x30

Underfloor system with square plenum box and aluminum junction boxes, edge height 4mm for UFK 200x30 underfloor duct.

Components

51622 - St lid 275 BAK4 KM

made of sendzimir galvanized steel sheet 4mm
Dimension: 275x275x4mm
with 2 pcs. Cable outlet holes

51627 - Pull box ZUG4 284x284/30 pc

with frame made of aluminum and cover made of steel plate 4mm
edge height 4mm
bottom height 65-92mm

51604 - Plenum box BAK4 284x284/30 floor height 65-92mm

Plenum box BAK4 284x284/30 with frame made of aluminum and cover made of sheet steel 4mm
planking height max. 4mm
with 2 brush strips
floor height 65-92mm

51607 - Plenum box BAK4 284x284/30 Al KM

with aluminum frame and lid
edge height 4mm
with 2 cable trays
bottom height 65-92mm

51630 - Pull box ZUG4 284x284/30 Al

with aluminum frame and lid,
edge height 4mm
bottom height 65-92mm

51613 - Al blanking lid ZUG4/DAK 8825

made of die-cast aluminum with edge height 4mm

---

woertz

51615 - Al cover BAK4/DAK 8825 KM

made of die-cast aluminum with edge height 4mm and 2 cutouts for cable trays

---

51616 - Cr cover visible BAK4/ DAK8825 KM

made of chrome steel 8mm, visible side ground grain 220

51617 - Al cover visible BAK4/ DAK8825 KM elx

made of aluminum 8mm, visible side brushed and colorless anodized

---

51640 - Brush strip BAK4

incl. mounting material

51620 - St lid BAK4 BL

made of sendzimir galvanized steel sheet 4mm, color raw, with 2 brush strips

---

51518 - Cable trough complete DAK 8825 / BAK4

made of polycarbonate crystal clear with transparent filling piece

---

51614 - St blind cover ZUG4

made of sendzimir galvanized steel sheet 4mm

52031 - Installation kit 2x3FLF horizontal SB BAK4

hook-in, to BAK with protective edge 4mm
made of galvanized sheet steel 1.5mm
Color: RAL 7032 pebble gray
equipped, wired and tested with:1 pc. Terminal strip 7x2.5mm ²
3 pcs. sockets FLF 3/5 T13 white 55200
minimum floor height: 67mm

52061 - Installation kit 2x3FLF horizontal empty BAK4

hook-in, to BAK with protective edge 4mm
made of galvanized sheet steel 1.5mm
Color: RAL 7032 pebble gray
equipped with:1 pc. Terminal strip 7x2.5mm ²
minimum floor height: 67mm

Floor junction box BAK4 200x30

52041 - Installation kit 2x5FLF vertical empty BAK4

hook-in, to BAK with protective edge 4mm
made of galvanized sheet steel 1.5mm
Color: RAL 7032 pebble gray
equipped with:1 pc. Terminal strip 9x2.5mm ²
minimum floor height: 83mm

---

52072 - Installation kit 2x8 module-BT empty BAK4

for modules type bticino
mountable, to BAK with protective edge 4mm
including 2 holding plates
color: RAL 7032 pebble gray
equipped with: 1 pc. Terminal strip 9x2.5mm ²
minimum floor height: 83mm

52051 - Installation kit 2x5FLF vertical SB BAK4

hook-in, to BAK with protective edge 4mm
made of galvanized sheet steel 1.5mm
Color: RAL 7032 pebble gray
equipped, wired and tested with:1 pc. Terminal strip 9x2.5mm ²
5 pcs. socket FLF 3/5 T13 white 55200
minimum floor height: 83mm

51697 - Collar 70 BAK / ZUG

made of sendzimir galvanized sheet steel
Color: Raw
incl. extension bolt 40/M6x6
Collar height: 70mm

51695 - Collar 50 BAK / ZUG

made of sendzimir galvanized sheet steel
Color: Raw
incl. extension bolt 40/M6x6
Collar height: 50mm

51601 - Plenum box BAK4 284x284/30 floor height 65-92mm

Junction box BAK4 284x284/30 with frame and cover made of aluminum
Edge height 4mm
With 2 Cr cable outlet flaps BAK4/DAK 8835, 52x35mm without lock
Bottom height 65-92mm

---

woertz (Q)

52074 - Insert set empty 2x4-8LM vertical BAK4

for modules type Legrand Mosaic 45x45mm
mountable, to BAK with protective edge 4mm
color: RAL 7032 pebble gray
equipped with: 1 pc. Terminal strip 9x2.5mm ²
minimum floor height: 83mm

---

51694 - Collar 40 BAK / ZUG

made of sendzimir galvanized sheet steel
Color: Raw
incl. extension bolt 40/M6x6
Collar height: 40mm

51693 - Collar 30 BAK / ZUG

made of sendzimir galvanized sheet steel
Color: Raw
incl. extension bolt 30/M6x6
Collar height: 30mm

51696 - Collar 60 BAK / ZUG

made of sendzimir galvanized sheet steel
Color: Raw
incl. extension bolt 40/M6x6
Collar height: 60mm