




Product data sheet

3401IN - Mounting rail DIN35 made of VA4 steel 2 m



DIN35 rail with 35x7.5x1 mm, made of VA4 steel, with a 16 mm² copper cross-section, 2 m long.

Characteristics	
Eldas number	168300027
Base Unit	Meter
availability	Delivery according to agreement
EAN Code	7611718247910
group	165000
Packaging unit	2
country of origin	CH
Customs tariff number	7222.4090
Weight (g)	365 g
Technical data	
Dimensions length x width x height (mm)	108.5x10x45 mm
Dimensions length x width x height (inch)	4.27x0.39x1.77 inch
Material	PA 6.6
Rated voltage (V)	300 V
DIN rail type	DIN-35



Product data sheet

3401IN - Mounting rail DIN35 made of VA4 steel 2 m

Smallest connectable section (mm²)	0,5 mm²
Number of connection point	2
Number of floor	1
Number of potentials	1
Nominal Cross-section (mm²)	4 mm²
Stripping length mm (mm)	12 mm
Rating data according to UL 1059	
Nominal cross section (AWG)	10 AWG
Smallest connectable section (AWG)	22 AWG
Stripping length (inch)	0,47 inch



## **Product data sheet**

3401IN - Mounting rail DIN35 made of VA4 steel 2 m

### **Product accessories**




## Product data sheet

3401IN - Mounting rail DIN35 made of VA4 steel 2 m


### Product systems

---



#### Profile rails DIN15, DIN32, DIN35

Various mounting rails and combination rails.



#### Profile rails DIN35

DIN rail DIN35, universal carrier made of a sheet metal profile in electrical engineering for fastening electrical equipment in distribution boxes, control cabinets, junction boxes, etc. Different components (e.g. relays, impulse switches, timers, circuit breakers, terminal blocks) can be slid onto a carrier rail from the side or plugged in and locked from the front. This standardized method facilitates the assembly of control cabinets and switch boxes, thus reducing labor costs. The different types of rails are in the standard EN 60715.

