



Product data sheet

3305GR - Terminal DIN32 50mm² grey



Characteristics	
Eldas number	158210737
Base Unit	Piece
availability	Delivery according to agreement
EAN Code	7611718205453
group	165000
Packaging unit	20
country of origin	CH
Customs tariff number	8536.9080
Weight (g)	60,2 g
Color	gray
Technical data	
Dimensions length x width x height (mm)	60x14x64 mm
Dimensions length x width x height (inch)	2.36x0.55x2.52 inch
Cross section (mm ²)	25 - 50 mm ²
Nominal current (A)	125 A



Product data sheet

3305GR - Terminal DIN32 50mm2 grey

Rated voltage (V)	1000 V
Connection type	Screw terminal
DIN rail type	DIN-32
Number of connection point	2
Number of floor	1
Number of potentials	1
Clamping screw M	M6
Insulating material	PA66
Nominal Cross-section (mm²)	50 mm²
Stripping length mm (mm)	17 mm
Head reception room width x height (mm)	9.6x14.6 mm
Rating data according to UL 1059	
Rated voltage US (V)	600 V
Nominal cross section (AWG)	1 AWG
Cross-section (AWG)	2 - 14 AWG
Stripping length (inch)	0,67 inch



Product data sheet

3305GR - Terminal DIN32 50mm² grey

Product accessories




80071R - Test plug Ø M4 red, socket 4mm

plug and adaptor in one piece




80071S - Test plug Ø M4 black, socket 4mm

plug and adaptor in one piece




Bezeichnungskarte_6x12mm - Designation cards 6x12mm

Various designation labels 6x12mm with different embossing.



Bezeichnungskarte_6x9mm - Designation card 6x9mm

Various designation plates with different embossing.



Bezeichnungskarte_6x3mm - Designation card 6x3mm

Various designation plates with different embossing.



3758 - Stopper DIN32 height 30mm

from polyamide gray



3749 - Stopper DIN32 height 28mm

of anticorodal



81504/2 - Cross-connection 2-pole to DIN32/35 50mm² terminal blocks

Insulated cross-connection 2-pole to terminal blocks DIN32/35 50mm² including screws M4.
Dimension: 26.1x35.8 mm



81504/3 - Cross-connection 3-pole to DIN32/35 50mm² terminal blocks

Insulated cross-connection 3-pole to terminal blocks DIN32/35 50mm² including screws M4.
Dimension: 40.2x35.8 mm



81504/4 - Cross-connection 4-pole to DIN32/35 50mm² terminal blocks

Insulated cross-connection 4-pole to terminal blocks DIN32/35 50mm² including screws M4.
Dimension: 54.3x35.8 mm



81504/5 - Cross-connection 5-pole to DIN32/35 50mm² terminal blocks

Insulated cross-connection 5-pole to terminal blocks DIN32/35 50mm² including screws M4.
Dimension: 68.4x35.8 mm



Product data sheet

3305GR - Terminal DIN32 50mm² grey



81504/10 - Cross-connection 10-pole to DIN32/35 50mm² terminal blocks

Insulated cross-connection 10-pole to DIN32/35 50mm² terminal blocks including M4 screws.
Dimension: 138.9x35.8 mm



81504 - Cross connection bolt single M4 insulated (20 mm)

Cross connection bolt complete with spacer sleeve. 20 mm



81415L - Link to cross-connections

to terminals 35mm 2



3869/4 - Cover for 4 terminals yellow

with black printing, to series 3428



3869/5 - Cover for 5 terminals yellow

with black printing, to series 3428



3869/6 - Cover for 6 terminals yellow

with black printing, to series 3428



3869/7 - Cover for 7 terminals yellow

with black printing, to series 3428



3869/8 - Cover for 8 terminals yellow

with black printing, to series 3428



81441 - Sealing eyelet Ø 4.2mm

Sealing eyes



Product data sheet

3305GR - Terminal DIN32 50mm² grey

Product systems



Terminal blocks DIN32 2.5mm²-70mm²

Various terminal blocks DIN32 2.5mm²-70mm².

