




Product data sheet

49708/L2 - Junction box flat cable combi Sbox L2 Series connection C1 C4 Q



Junction box flat cable combi Sbox with series connection C1 C4 Q Phase L2 With sockets, lamp circuits Series connection Function

Characteristics	
Eldas number	150714327
Base Unit	Piece
availability	Delivery according to agreement
EAN Code	7611718220739
group	170000
Packaging unit	20
country of origin	CH
Customs tariff number	8536.9080
Weight (g)	120 g
Color	gray
Coding plug connection	Code 1 + Code 4
Technical data	
Box Type	Junction boxes
Fire load (KWh)	0,4 kWh
Dimensions length x width x height (mm)	74x88x37 mm



## Product data sheet

### 49708/L2 - Junction box flat cable combi Sbox L2 Series connection C1 C4 Q

Dimensions length x width x height (inch)	2,91x3,46x1,45 inch
Degree of protection	IP20, IP40 (Connected)
Metal parts	Corrosion protected
Flat cable contacting type	Piercing contact (screw)
Number of poles	3 pole
Rated current heavy current part (A)	16 A
Rated voltage heavy current part (V)	250 V
Operating Temperature (°C)	-15 to 85 °C
Installation temperature min. (°C)	5 °C
Plastic parts	Halogen-free
Material slider/bottom part	Polyamide, Purple
Material housing	Polyamide
Material hood	Polyamide, black
Number Screwdriver Pointed screws Heavy current part	1
Operating torque of pointed screws for heavy current section (Nm)	0,7 Nm



## **Product data sheet**

49708/L2 - Junction box flat cable combi Sbox L2 Series connection C1 C4 Q

### **Product accessories**



## Product data sheet

49708/L2 - Junction box flat cable combi Sbox L2 Series connection C1 C4 Q

### Product systems



#### SBox luminaire circuit flat cable Combi

SBox junction box system for luminaire switching with flat cable Combi.

