




Product data sheet

35310/4GR - Tension clamp terminal DIN35 4mm² 65.5x6x35mm gray



Tension clamp terminal DIN35 4mm² 65.5x6x35mm gray with 2 connections marking possibility on the side and in the middle with stripes, for cross connection recessed

Characteristics	
Eldas number	158430237
Base Unit	Piece
availability	available from stock
EAN Code	7611718247408
group	165000
Packaging unit	50
country of origin	CH
Customs tariff number	8536.9080
Weight (g)	10 g
Color	gray
Technical data	
Dimensions length x width x height (mm)	65.5x6x35 mm
Dimensions length x width x height (inch)	2.58x0.24x1.38 inch
Cross section (mm²)	0,5 - 4 mm²
Nominal current (A)	30 A



Product data sheet

35310/4GR - Tension clamp terminal DIN35 4mm² 65.5x6x35mm gray

Rated voltage (V)	600 V
Connection type	Spring clamp
DIN rail type	DIN-35
Number of connection point	2
Number of floor	1
Number of potentials	1
Insulating material	PA66
Nominal Cross-section (mm²)	4 mm²
Stripping length mm (mm)	12 mm
Rating data according to UL 1059	
Rated voltage US (V)	300 V
Nominal cross section (AWG)	12 AWG
Cross-section (AWG)	12 - 20 AWG
Stripping length (inch)	0,47 inch



Product data sheet

35310/4GR - Tension clamp terminal DIN35 4mm² 65.5x6x35mm gray

Product accessories



80247 - Test plug Ø 2.3mm red, socket 4mm

connecting cable incl.



80248 - Test plug Ø 2.3mm black, socket 4mm

connecting cable incl.



Bezeichnungskarte_6x12mm - Designation cards 6x12mm

Various designation labels 6x12mm with different embossing.



Bezeichnungskarte_6x9mm - Designation card 6x9mm

Various designation plates with different embossing.



35455/09BS - Marking strip 9x240mm

with 25strips per box



35455/69T - Marking adaptor for label 6x9mm

to spring clamp terminals



35311/4 - Partition and end barrier 64.5x39mm

grey, to spring clamp terminals with 2 clamps



35445 - End retainer for Spring clamp terminal DIN35

of polyamide 66, grey dimensions: 8x45.2x23.5mm to spring clamp terminals 1.5 to 16mm 2



35425/06 - Cross-junction rack 10pole black

Cross-connection rake insulated, black, to tension spring terminals 6mm



35425/06BR - Bridge to cross-junction rack black

Bridge insulated, suitable for 3542506 and 3542508 to connect 2 connecting rakes.
33.2x6x10.4 mm



35435/415 - Cable entrance to 1.5mm² conductors


funnel-shaped, to spring clamp terminals 4mm 2Stripes of 10 pieces, separable



Product data sheet

35310/4GR - Tension clamp terminal DIN35 4mm² 65.5x6x35mm gray

Product systems



Tension clamp terminals with two connections DIN 35

Various tension spring terminals with two connections.

