



3304E - Terminal DIN32 16mm2 green/yellow



Characteristics	
Eldas number	158210567
Base Unit	Piece
availability	Delivery according to agreement
EAN Code	7611718200229
group	165000
Packaging unit	25
country of origin	СН
Customs tariff number	8536.9080
Weight (g)	35 g
Color	green/yellow
Technical data	
Dimensions length x width x height (mm)	55x11x51 mm
Dimensions length x width x height (inch)	2.17x0.43x2.01 inch
Cross section (mm²)	6 - 16 mm²
Nominal current (A)	76 A





3304E - Terminal DIN32 16mm2 green/yellow

Rated voltage (V)	1000 V
Connection type	Screw terminal
DIN rail type	DIN-32
Number of connection point	2
Number of floor	1
Number of potentials	1
Clamping screw M	M5
Insulating material	PA66
Nominal Cross-section (mm²)	16 mm²
Stripping length mm (mm)	13 mm
Head reception room width x height (mm)	7.3x8.6 mm
Rating data according to UL 1059	
Rated voltage US (V)	600 V
Nominal cross section (AWG)	6 AWG
Cross-section (AWG)	6 - 16 AWG
Stripping length (inch)	0,51 inch





3304E - Terminal DIN32 16mm2 green/yellow

Product accessories

	80071R - Test plug Ø M4 red, socket 4mm
	plug and adaptor in one piece
	80071S - Test plug Ø M4 black, socket 4mm
and the second second	plug and adaptor in one piece
	ping and adapter in one piece
	Bezeichnungskarte_6x12mm - Designation cards 6x12mm
	Various designation labels 6x12mm with different embossing.
	Bezeichnungskarte_6x9mm - Designation card 6x9mm
2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Various designation plates with different embossing.
	Bezeichnungskarte_6x3mm - Designation card 6x3mm
	Various designation plates with different embossing.
	2052 CB Portition DIN22 grow to 2204
	3653GR - Partition DIN32 grey to 3304
	null
	3758 - Stopper DIN32 height 30mm
	from polyamide gray
	3749 - Stopper DIN32 height 28mm
	of anticorodal
9.0	81541/2 - Cross-connection 2-pole to DIN32/35 16mm² terminal blocks
	Insulated cross-connection 2-pole to terminal blocks DIN32/35 16mm² including screws M4.
0 0	Dimension: 20x29.8 mm
111	81541/3 - Cross-connection 3-pole to DIN32/35 16mm² terminal blocks
	Insulated cross-connection 3-pole to terminal blocks DIN32/35 16mm² including screws M4.
	Dimension: 31x29.8 mm
****	81541/4 - Cross-connection 4-pole to DIN32/35 16mm² terminal blocks
TITI	Insulated cross-connection 4-pole to terminal blocks DIN32/35 16mm² including screws M4.
	Dimension: 42x29.8 mm





3304E - Terminal DIN32 16mm2 green/yellow

	81541/5 - Cross-connection 5-pole to DIN32/35 16mm² terminal blocks
	Insulated cross-connection 5-pole to terminal blocks DIN32/35 16mm² including screws M4. Dimension: 53x29.8 mm
	81541/10 - Cross-connection 10-pole to DIN32/35 16mm² terminal blocks
	Insulated cross-connection 10-pole to DIN32/35 16mm² terminal blocks including M4 screws. Dimension: 108x29.8 mm
Ÿ	81541 - Cross connection bolt single M4 insulated (12.2 mm)
ı	Cross connection bolt complete with spacer sleeve. 12.2 mm
• •	81414L - Link to cross-connections
	to terminals 16mm 2
	80049/16 - Warning plate for single terminal 16mm2
	to series 345216
	3868/4 - Cover for 4 terminals yellow
	with black printing, to series 3427,345216
	3868/5 - Cover for 5 terminals yellow
	with black printing, to series 3427,345216
	3868/6 - Cover for 6 terminals yellow
	with black printing, to series 3427,345216
	3868/7 - Cover for 7 terminals yellow
	with black printing, to series 3427,345216
A Control of the Cont	3868/8 - Cover for 8 terminals yellow
	with black printing, to series 3427,345216
	81441 - Sealing eyelet Ø 4.2mm
	Sealing eyes





3304E - Terminal DIN32 16mm2 green/yellow

Product systems



Terminal blocks DIN32 2.5mm²-70mm²

Various terminal blocks DIN32 2.5mm²-70mm².

