




















## System overview

Plinth trunking system SOK 4181 160x160



Socket channel SOK 4181 160x160 mm. Sockets accessible via brush outlet.























## Components

	<b>59504 - 0</b> made of galvanized sheet steel 1mm with DIN-35 rail including connecting material and Erlitze Color: RAL 9010 pure white Length: 2000mm	
	<b>59505 - 0</b> made of galvanized steel sheet 1mm with DIN-35 rail including connection material and ground wire color: at choice length: 2000mm	
	<b>53510 - Connecting link BRK straight connection</b> for BRK 4670, 4671, 4183 and STK 4672	
	<b>53512 - Connector straight for DIN rail</b> for connecting the channel shell for DIN-35 rail	
	<b>53539 - Connector IG 90° for DIN rail</b> for connecting the channel shell for DIN-35 rail with 90° inside miter	
	<b>53544 - Connecting link SOK IG90° bottom</b> Inside miter 90° bottom SOK 4181/160x160	
	<b>53542 - Connecting link SOK IG90° top</b> Internal miter 90° top SOK 4181/160x160	
	<b>53538 - Connector AG 90° for DIN rail</b> for connecting the channel shell for DIN-35 rail with external miter 90°	



## System overview



















Plinth trunking system SOK 4181 160x160

	<b>53545 - Connecting link SOK AG90° bottom</b> Outside miter 90° bottom SOK 4181/160x160	
	<b>53543 - Connecting link SOK AG90° top</b> Outside miter 90° top SOK 4181/160x160	
	<b>53541 - Connector IG 135° for DIN rail</b> for connecting the channel shell for DIN-35 rail with inside miter 135°	
	<b>53548 - Connecting link SOK IG135° bottom</b> Inside miter 135° bottom SOK 4181/160x160	
	<b>53546 - Connecting link SOK IG135° top</b> Internal miter 135° top SOK 4181/160x160	
	<b>53540 - Connector AG 135° for DIN rail</b> for connecting the channel shell for DIN-35 rail with external miter 135°	
	<b>53549 - Connecting link SOK AG135° bottom</b> Outside miter 135° bottom SOK 4181/160x160	
	<b>53547 - Connecting link SOK AG135° top</b> Outside miter 135° top SOK 4181/160x160	
	<b>53255 - Plug-in lid 102 ws</b> made of galvanized steel sheet 1mm including 6 pcs. tension springs Color: RAL 9010 Pure white Length: 2000mm Width: 140mm	
	<b>53261 - 0</b> made of galvanized steel sheet 1mm including 6 pcs tension springs Color: at choice Length: 2000mm Width: 140mm	
	<b>53363 - Plug-in lid 102 ws</b> made of galvanized sheet steel 1mm including 6 pcs. tension springs Color: RAL 9010 Pure white Length: 1000mm Width: 140mm	



## System overview












### Plinth trunking system SOK 4181 160x160

	<b>53368 - Plug-in cover 102 FnW</b> made of galvanized steel sheet 1mm including 4 pcs. tension springs Color: at choice Length: 1000mm Width: 140mm	
	<b>59506 - Plug-in cover 102 ws with brush outlet</b> made of galvanized steel sheet 1mm including 4 pcs. tension springs Color: RAL 9010 pure white Length: 500mm width 140mm	
	<b>59507 - Plug-in cover 102 FnW with brush outlet</b> made of galvanized steel sheet 1mm including 4 pcs tension springs Color: at choice Length: 500mm width 140mm	
	<b>59658 - Plug-in cover 102 with hinged cover RAL 9010</b> made of galvanized steel bech 1mm with brush outlet black Color: RAL 9010 Pure white Length: 400mm Width. 140mm	
	<b>59659 - Plug-in cover 102 with hinged cover FnW</b> made of galvanized steel sheet 1mm with brush outlet black Color: at choice Length: 400mm Width: 140mm	
	<b>54306 - Clamping spring Niro BRK</b> to plug lid	
	<b>59508 - End wall l ws SOK 4181/160x160</b> Version left galvanized sheet steel 1.5mm Color: RAL 9010 Pure white	
	<b>59509 - End wall left color choice SOK 4181/160x160</b> End wall version left for plinth channel SOK 4181/160x160 made of galvanized sheet steel 1.5mm Color: at choice	
	<b>59510 - End wall r ws SOK 4181/160x160</b> Execution right out of galvanized steel sheet 1.5mm Color: RAL 9010 Pure white	



## System overview

### Plinth trunking system SOK 4181 160x160

	<p><b>59511 - 0</b></p> <p>Finish right galvanized steel sheet 1.5mm Color: at choice</p>	
	<p><b>59513 - Installation kit 6FLF vertical empty</b></p> <p>for 2xFLF 3/5 and 2xFLF 6/5 made of sendzimir-galvanized sheet steel 1.5mm with 2 clamps to snap onto DIN-35 rail Color: raw</p>	
	<p><b>59512 - Installation kit 3FLF horizontal empty</b></p> <p>for 3xFLF 3/5 made of sendzimir-galvanized sheet steel 1.5mm with 2 clamps to snap onto DIN 35 rail Color: raw</p>	
	<p><b>57189 - Installation kit Sts 2 FLF 6/5 Scs 5 FLF 3/5</b></p> <p>made of galvanized sheet steel 1.5mm to snap on DIN-35 rail Dimension: 390x80x108mm Color: RAL 7016 anthracite gray</p>	
	<p><b>53672 - Cable tray 40</b></p> <p>made of sendzimir galvanized steel sheet 1mm length: 670mm</p>	
	<p><b>51210 - Cable tray PVC to DIN35 rail</b></p> <p>Hard PVC 2mm Color: gray Length: 1850mm</p>	