



Product data sheet

4382RZ/6M - Profile rail C30 hot-dip galvanized steel 6 m



Profile rail C30 with 29x15x2 mm made of hot-dip galvanized steel, with a length of 6 m.

Characteristics	
Eldas number	168318269
Base Unit	Meter
availability	Delivery in 4 weeks
Customs tariff number	7216.9900
Technical data	
Dimensions length x width x height (mm)	29x15x2 mm
Material	Stainless steel



Product data sheet

4382RZ/6M - Profile rail C30 hot-dip galvanized steel 6 m

Product accessories



4398 - Cable clamp for 1 cable 22-31mm

Cable clamp black to screw on, two-piece, for 1 cable, 2 screws. Threaded bolt is M6x50.



4398A - Cable clamp for 2 cables 22-31mm

Cable clamp black to screw on, 4-piece, for 2 cables side by side, 2 screws. Threaded bolt is M6x110.



Product data sheet

4382RZ/6M - Profile rail C30 hot-dip galvanized steel 6 m

Product systems



Profile rails C20 and C30

Various profile rails C20/C30 made of aluminum and steel VA2, against calculation of a cutting surcharge the profile rails can be delivered in any desired length. For embedding in concrete, the profile rails are available, also against calculation, with fixing holes or with slings.

