





Characteristics	
Eldas number	158210357
Base Unit	Piece
availability	Delivery in 4 weeks
EAN Code	7611718205422
group	165000
Packaging unit	25
country of origin	СН
Customs tariff number	8536.9080
Weight (g)	18,5 g
Color	blue
Technical data	
Dimensions length x width x height (mm)	49x8x44 mm
Dimensions length x width x height (inch)	1.93x0.32x1.73 inch
Cross section (mm ²)	0,5 - 6 mm²
Nominal current (A)	41 A





Rated voltage (V)	1000 V
Connection type	Screw terminal
DIN rail type	DIN-32
Number of connection point	2
Number of floor	1
Number of potentials	1
Clamping screw M	M4
Insulating material	PA66
Nominal Cross-section (mm ²)	6 mm²
Stripping length mm (mm)	11 mm
Head reception room width x height (mm)	4.5x6 mm
Rating data according to UL 1059	
Rated voltage US (V)	600 V
Nominal cross section (AWG)	10 AWG
Cross-section (AWG)	10 - 20 AWG
Stripping length (inch)	0,43 inch





3302BL - Terminal DIN32 6mm2 blue

Product accessories

80070R - Test plug Ø M3 red, socket 4mm plug and adaptor in one piece
80070S - Test plug Ø M3 black, socket 4mm plug and adaptor in one piece
2737R - Test plug Ø 2.8mm red, socket 4mm connecting cable incl.
2737S - Test plug Ø 2.8mm black, socket 4mm connecting cable incl.
Bezeichnungskarte_6x12mm - Designation cards 6x12mm Various designation labels 6x12mm with different embossing.
Bezeichnungskarte_6x9mm - Designation card 6x9mm Various designation plates with different embossing.
Bezeichnungskarte_6x3mm - Designation card 6x3mm Various designation plates with different embossing.
3661GR - End barrier DIN32 grey to 3301 null
3651GR - Partition DIN32 grey to 30111,3301,3302 for 30111,3301,3302
3758 - Stopper DIN32 height 30mm from polyamide gray
3749 - Stopper DIN32 height 28mm of anticorodal





ŤŤ	81507/2 - Cross-connection 2-pole to DIN32/35 6mm ² terminal blocks
	Insulated cross-connection 2-pole to terminal blocks DIN32/35 6mm ² including screws M2.5 dimension: 12.6x20.8 mm
	81507/3 - Cross-connection 3-pole to terminals DIN32/35 6mm ²
	Insulated cross-connection 3-pole to terminals DIN32/35 6mm ² including screws M2. Dimension: 5.19.7x20.8 mm
	81507/4 - Cross-connection 4-pole to terminals DIN32/35 6mm ²
	Insulated cross-connection 4-pole to terminals DIN32/35 6mm ² including screws M2.5. dimension: 26.8x20.8 mm
	81507/5 - Cross-connection 5-pole to terminals DIN32/35 6mm ²
	Insulated cross-connection 5-pole to terminals DIN32/35 6mm ² including screws M2.5. dimension: 33.9x20.8 mm
	81507/10 - Cross-connection 10-pole to terminals DIN32/35 6mm ²
	Insulated cross-connection 10-pole to terminals DIN32/35 6mm ² including screws M2.5. dimension: 69.4x20.8 mm
	81452L - Link to cross-connections
	to terminals 6mm 2
	80049/6 - Warning plate for single terminal 6mm2
	to series 3452/6
Sasti	3887/4 - Cover for 4 terminals yellow
	with black printing, to series 3425,345210
- A	3887/5 - Cover for 5 terminals yellow
	with black printing, to series 3425,345210
- D	3887/6 - Cover for 6 terminals yellow
	with black printing, to series 3425,345210
	3887/7 - Cover for 7 terminals yellow
	with black printing, to series 3425,345210





interior -	3887/8 - Cover for 8 terminals yellow with black printing, to series 3425,345210
Ļ	81440 - Sealing eyelet Ø 3.2mm Sealing eyes
JANE .	3512 - Sealing screw M3x25 of polyamide Sealing screw spring-loaded test probes, several numbers of poles can be lined up
manuan	30422 - Cover strip for terminal blocks 9.5mm, length 280mm Cover strip for terminal blocks DIN32/35 9.5mm , length 280mm





3302BL - Terminal DIN32 6mm2 blue

Product systems



Terminal blocks DIN32 2.5mm²-70mm²

Various terminal blocks DIN32 2.5mm²-70mm².

