



Product data sheet

2860 - Protective conductor terminal bare, 4 mm², M6x7 mm



Characteristics	
Eldas number	156821007
Base Unit	Piece
availability	Delivery according to agreement
EAN Code	7611718209246
group	165000
Packaging unit	100
country of origin	CH
Customs tariff number	8536.9080
Weight (g)	16 g
Color	copper bright
Technical data	
Dimensions length x width x height (mm)	max. 32x10 mm
Dimensions length x width x height (inch)	max. 1.26x0.39 inch
Cross section (mm²)	4 mm²
Connection type	Special clamp



Product data sheet

2860 - Protective conductor terminal bare, 4 mm², M6x7 mm





Number of connection point	1
Number of floor	1
Number of potentials	1
Clamping screw M	M8
Nominal Cross-section (mm²)	4 mm²
Head reception room width x height (mm)	2x4 mm
Rating data according to UL 1059	
Nominal cross section (AWG)	12 AWG
Cross-section (AWG)	12 - 12 AWG



Product data sheet

2860 - Protective conductor terminal bare, 4 mm², M6x7 mm

Product accessories

	<p>6100EXE - Cast iron junction box, 141x120x84 mm</p> <p>IP65, EXE, grey lacquered, without insertion, PE terminal inside, article 2860, 4 mm²</p>
	<p>6100EXEZ - Cast iron junction box, 141x120x84 mm</p> <p>IP65, EXE, hot-dip galvanized, without insertion, PE terminal inside, article 2860, 4 mm²</p>
	<p>6010EXE - Cast iron junction box, 116x102x72 mm</p> <p>IP65, EXE, grey lacquered, without insertion, PE terminal inside, article 2860, 4 mm²</p>
	<p>6010EXEZ - Cast iron junction box, 116x102x72 mm</p> <p>IP65, EXE, hot-dip galvanized, without insertion, PE terminal inside, article 2860, 4 mm²</p>



Product data sheet

2860 - Protective conductor terminal bare, 4 mm², M6x7 mm

Product systems



Junction boxes with explosion protection



- IP65 and IP64 International Protection
 - Cast iron housing, hot-dip galvanized or painted gray
 - With internal protective conductor terminals in three versions No. 2860, 4 mm² / No. 28601, 6 mm² / 2864, 35 mm²
 - jet-proof
 - for threads of any kind
 - for the installation of clamps and steatite- clamping rings inserts 3P N
- PE price level for metric threads: Gr. I - III
- Our junction boxes are available with **as many threads as you wish** in sizes M16, M20, M25, M32, M40 or M50. Please specify your wishes when ordering!



Bare screw-on protective conductor terminals



Various bare protective conductor terminals for screwing on.