



Product data sheet

49420M - Plug Snap-In BUS CKNX 2P GN



Plug 2-pole, Code KNX cut-out: 17.8x17.8 mm mounting depth: 29 mm adapted sheet thickness: 0.5-2.5 mm

Characteristics	
Base Unit	Piece
availability	Delivery according to agreement
EAN Code	7611718255243
group	170000
Packaging unit	50
country of origin	CH
Customs tariff number	8536.908
Weight (g)	4,08 g
Color	black
Connector type	Connecting cable plug
Coding plug connection	Code Woertz
Technical data	
Dimensions length x width x height (mm)	23.5x19.5x29.5 mm
Dimensions length x width x height (inch)	0.93x0.77x1.16 inch
Degree of protection	IP20



Product data sheet

49420M - Plug Snap-In BUS CKNX 2P GN

Number of poles	2 pole
Connection conductor (mm²)	0.5 mm²
Material	Polyamide
Rated current heavy current part (A)	3 A
Rated voltage heavy current part (V)	50 V
Halogen free	No



## **Product data sheet**

49420M - Plug Snap-In BUS CKNX 2P GN

### **Product accessories**



## Product data sheet

49420M - Plug Snap-In BUS CKNX 2P GN

### Product systems



#### Device plug connection, plugs and sockets to Woertz plug connections

Code 1 Code 2 Suitable for luminaire connections matching Woertz flat cable installation.



#### Plug connections for BUS (Code Woertz, Code KNX, Code 3)

BUS connectors code Woertz, code KNX, code 3.



#### BUS/Code 3/Code Woertz/KNX connectors and connecting cables suitable for flat cable system

Suitable BUS connectors and connecting cables for the following systems:



- Data 2x1.5 mm<sup>2</sup>
- Combi 5G2.5 mm<sup>2</sup>
- Combi 5G2.5 mm<sup>2</sup> KNX
- Dali 3G2.5 2x1.5 mm<sup>2</sup>
- Dali 5G2.5 2x1.5 mm<sup>2</sup>