




Product data sheet

35310/6V - PE tension spring terminal DIN35 6mm² green/yellow



Protective conductor terminal, part wired, with 2 connections, green/yellow

| Characteristics                           |                      |
|-------------------------------------------|----------------------|
| Eldas number                              | 158430397            |
| Base Unit                                 | Piece                |
| availability                              | available from stock |
| EAN Code                                  | 7611718247446        |
| group                                     | 165000               |
| Packaging unit                            | 50                   |
| country of origin                         | CH                   |
| Customs tariff number                     | 8536.9080            |
| Weight (g)                                | 20 g                 |
| Color                                     | green/yellow         |
| Technical data                            |                      |
| Dimensions length x width x height (mm)   | 65.5x8x35 mm         |
| Dimensions length x width x height (inch) | 2.58x0.32x1.38 inch  |
| Cross section (mm²)                       | 6 mm²                |
| Connection type                           | Spring clamp         |



Product data sheet

35310/6V - PE tension spring terminal DIN35 6mm² green/yellow

|                                  |             |
|----------------------------------|-------------|
| DIN rail type                    | DIN-35      |
| Number of connection point       | 2           |
| Number of floor                  | 1           |
| Number of potentials             | 1           |
| Insulating material              | PA66        |
| Nominal Cross-section (mm²)      | 6 mm²       |
| Stripping length mm (mm)         | 12 mm       |
| Rating data according to UL 1059 |             |
| Nominal cross section (AWG)      | 10 AWG      |
| Cross-section (AWG)              | 10 - 10 AWG |
| Stripping length (inch)          | 0,47 inch   |



## Product data sheet

35310/6V - PE tension spring terminal DIN35 6mm<sup>2</sup> green/yellow

### Product accessories




**80247 - Test plug Ø 2.3mm red, socket 4mm**

connecting cable incl.




**80248 - Test plug Ø 2.3mm black, socket 4mm**

connecting cable incl.



**Bezeichnungskarte\_8x9mm - Designation card 8x9mm**

Various designation plates with different embossing.



**Bezeichnungskarte\_8x12mm - Designation card 8x12mm**

Various designation plates with different embossing.



**35455/09BS - Marking strip 9x240mm**

with 25strips per box



**35311/4 - Partition and end barrier 64.5x39mm**

grey, to spring clamp terminals with 2 clamps



**35445 - End retainer for Spring clamp terminal DIN35**


of polyamide 66, grey dimensions: 8x45.2x23.5mm to spring clamp terminals 1.5 to 16mm 2



## Product data sheet

35310/6V - PE tension spring terminal DIN35 6mm<sup>2</sup> green/yellow

### Product systems



**Protective conductor terminal blocks to DIN 35 spring-cage terminal blocks**

Various protective conductor terminals to tension spring terminals.

